Safety Zone Water® Systems for SALT-FREE Whole House Water Treatment.

Looking for an alternative to a conventional water softener?

Check out our no salt water treatment system and get two water treatments for one affordable price!

Here's what you get:

- 1. Whole house filter with Catalytic carbon and KDF to remove Chlorine, Chloramines, taste, odors, heavy metals and harmful chemicals.
- 2. No-salt, scale inhibitor to protect your plumbing and expensive Appliances, by preventing scale formation.
- 3. No salt! Simply filtered water from every faucet in your home!

How it works!

Step A

The water treatment process starts in the top of our filter / conditioning tank, where, your water is treated with our KDF filter media, designed to enhance the performance of the activated carbon, remove heavy metals and protect the carbon bed from bacterial growth.

Step B

Next, harmful impurities are removed or reduced using our NSF certified Catalytic coconut shell activated carbon to provide filtered water from every faucet in your home.

Removes

- Harmful chemicals
- VOCs
- Heavy metals
- Chlorine & Chloramines
- Bad tastes
- Foul odors
- Inhibits bacterial growth

Step C

The final water conditioning treatment process occurs in the part of the tank, where our special scale and rust inhibitor prevents hard water scale formation by placing a passive coating on pipes and wetted surfaces.

No salt. No electricity. No drain required. No need to buy bottled water with Salt-Free Safety Zone Water Systems!





Models

Model Number	Tank	Sizing
SZ-SFWCF-150-NE-J	10X54	Average homes
SZ-SWFWCF-250-NE	13X54	Large homes
SZ-SFWCF-300-NE	14X65	Estate homes

Specifications

<u> </u>		
Flow rate	15, 20, 25 GPM	
Pipe sizes	¾", 1" and 1.5"	
Tanks	10x54, 13x54, 14x65	
Use	City water	
Media	NSF certified, 61	
Carbon	NSF certified, 61	
Pressure	125 PSI Max.	

System above shown with protective tank jacket.

Installation

The Safety Zone Salt-Free scale inhibitor and whole house filter requires no electricity, and no drain is required. It is recommended for city water applications.

Installation

Follow all plumbing codes. Shut off water supply to the house and open faucets to drain down the system.

- 1. Install the system on the main water line before the water heater.
- 2. Install tank for "down flow" operation. (See arrows on by-pass valves.)
- 3. Install a pressure release valve if pressure may exceed 125 psi.
- 4. Do not install filter where temperature exceeds or is below limits (40° 110° F)

Important flushing instructions

The granular activated carbon and other water treatment media must be properly rinsed.

See flushing directions, which come with the system. It is absolutely essential to follow our flushing instructions completely.



For best results install a hose bib and shut-off valve on the outlet pipe of the filter. This will allow you to flush the filter if necessary, should there be carbon finds in the house. (Carbon in your water may indicate the initial flush was insufficient.)

By-pass valve
All systems come
with a by-pass
valve to isolate the
unit if necessary.



Start up (once the filter has been properly flushed)

- 1. Supply water to the filter.
- 2. Slowly open the red **DOWN FLOW** inlet valve on the by-pass.
- 3. Allow the filter tank to fill slowly.
- 4. Finally, open the outlet of the filter to supply water to the house.
- 5. Go in house to be sure water is running clear.
- 6. If water is not running clear, the filter was most likely not flushed sufficiently.

Safety Zone Water Systems, LLC 2130 SW 7thy Avenue/ Unit 104 Ocala, FL 34471 Tel: 352-492-9516

